

ADAM OTLEWSKI




SERIES 01 SMALL SCONCE

Solid machined brass with soft, unstructured hand-dyed pivoting leather shade. Also available with brass toggle switch on backplate or corded plug-in version. The opaque nature of the leather shade creates an overall effect of compact directed lighting well-suited for reading, corridors, and small spaces. *Also available with backplate switch or corded with plug.*

8-7/8"H x 7-3/4"D x 4"W

Mounts only to a standard vertical single gang junction box (screw distance 3-1/4"). To be installed only by a licensed electrician. All material finishes are living finishes: they will change and patina for the better with time and use. Every product is individually hand assembled; slight variations in color, size and shape are to be expected. Recommended bulb "LED 40 Watt Equivalent G16 Globe 2700k Dimmable" included. LED bulb only. E26 keyless socket. Not suitable for damp locations. Lead time approx. 8 weeks. *UL certification, as well as custom sizing, configurations and finishes are available upon request.*



ADAM OTLEWSKI



SERIES 01 SMALL SCONCE WITH ROUND PLATE

Solid machined brass with soft, unstructured hand-dyed pivoting leather shade. Also available with brass toggle switch on backplate or corded plug-in version. The opaque nature of the leather shade creates an overall effect of compact directed lighting well-suited for reading, corridors, and small spaces.


9"H x 7-3/4"D x 4"W

Mounts only to standard junction boxes with 2-3/4" or 3-1/2" mounting screw distance. To be installed only by a licensed electrician. All material finishes are living finishes: they will change and patina for the better with time and use. Every product is individually hand assembled; slight variations in color, size and shape are to be expected. Recommended bulb "LED 40 Watt Equivalent G16 Globe 2700k Dimmable" included. LED bulb only. E26 keyless socket.


Not suitable for damp locations.

Lead time approx. 8 weeks.

UL certification, as well as custom sizing, configurations and finishes are available upon request.



ADAM OTLEWSKI



SERIES 01 LARGE SCONCE

Solid machined brass with soft, unstructured hand-dyed pivoting leather shade. Also available with brass toggle switch on backplate or corded plug-in version. The opaque nature of the leather shade creates an overall effect of compact directed lighting well-suited for libraries and corridors, and the adjustable shade lends it to bedside reading.

Also available with backplate switch or corded with plug.

15-7/8"H x 8-3/4"D x 6"W


Mounts only to a standard vertical single gang junction box (screw distance 3-1/4"). To be installed only by a licensed electrician. All material finishes are living finishes: they will change and patina for the better with time and use. Every product is individually hand assembled; slight variations in color, size and shape are to be expected. Recommended bulb "LED 40 Watt Equivalent G16 Globe 2700k Dimmable" included. LED bulb only.

E26 keyless socket.

Not suitable for damp locations.

Lead time approx. 8 weeks.

UL certification, as well as custom sizing, configurations and finishes are available upon request.



ADAM OTLEWSKI



SERIES 01 LARGE SCONCE WITH ROUND PLATE

Solid machined brass with soft, unstructured hand-dyed pivoting leather shade. Also available with brass toggle switch on backplate or corded plug-in version. The opaque nature of the leather shade creates an overall effect of compact directed lighting well-suited for libraries and corridors, and the adjustable shade lends it to bedside reading.


16"H x 8-3/4"D x 6"W

Mounts only to standard junction boxes with 2-3/4" or 3-1/2" mounting screw distance. To be installed only by a licensed electrician. All material finishes are living finishes: they will change and patina for the better with time and use. Every product is individually hand assembled; slight variations in color, size and shape are to be expected. Recommended bulb "LED 40 Watt Equivalent G16 Globe 2700k Dimmable" included. LED bulb only. E26 keyless socket.

Not suitable for damp locations.

Lead time approx. 8 weeks.

UL certification, as well as custom sizing, configurations and finishes are available upon request.



UNIVERSAL CROSSBAR BEHIND BACKPLATE MOUNTS TO JBOX WITH 2-3/4" OR 3-1/2" SCREW

ADAM OTLEWSKI



SERIES 01 UPRIGHT SCONCE

Solid machined brass with soft, unstructured hand-dyed leather shade. The opaque nature of the leather shade creates an overall effect of compact ambient lighting well suited for libraries, corridors, dining rooms, etc.

Also available as corded with plug.

15"H x 8-3/4"D x 6"W


Mounts only to a standard vertical single gang junction box (screw distance 3-1/4"). To be installed only by a licensed electrician. All material finishes are living finishes: they will change and patina for the better with time and use. Every product is individually hand assembled; slight variations in color, size and shape are to be expected. Recommended bulb "LED 40 Watt Equivalent E26 Torpedo 2700k Dimmable" included. LED bulb only.

E26 keyless socket.

Not suitable for damp locations.

Lead time approx. 8 weeks.

UL certification, as well as custom sizing, configurations and finishes are available upon request.



ADAM OTLEWSKI

IMAGE COMING SOON

SERIES 01 UPRIGHT SCONCE WITH ROUND PLATE

Solid machined brass with soft, unstructured hand-dyed leather shade. The opaque nature of the leather shade creates an overall effect of compact ambient lighting well suited for libraries, corridors, dining rooms, etc.

15"H x 8-3/4"D x 6"W

Mounts to round junction boxes with 2-3/4" or 3-1/2" screw distance. To be installed only by a licensed electrician. All material finishes are living finishes: they will change and patina for the better with time and use. Every product is individually hand assembled; slight variations in color, size and shape are to be expected. Recommended bulb "LED 40 Watt Equivalent E26 Torpedo 2700k Dimmable" included. LED bulb only. E26 keyless socket. Not suitable for damp locations. Lead time approx. 8 weeks. *UL certification, as well as custom sizing, configurations and finishes are available upon request.*

