

EST. 2012



WELLES Double Blown Glass Desk Lamp


in Satin Copper & Alabaster White


An intricate design process in which colored glass is blown within a clear glass envelope, the Welles double blown glass diffuses a soft light filtered through its translucent facets. A polygonal shape with polished sharp edges, the Welles is a glistening gem that cascades as a single pendant or as a body of staggering pendants.

The precious Welles
Double Blown Glass is
available in smoked gray
or alabaster white, and
can be mixed or matched
with its complementary
black, nickel, brass,
copper and bronze metal.

All Gabriel Scott pieces are handmade in Canada.







SPECIFICATIONS

Standard Finishes:

Blown Glass: Alabaster White or Smoked Gray

Metal: Blackened Steel, Satin Nickel, Satin Brass, Satin Copper or Satin Bronze

Specifications:

Dimensions: 8" x 6.75" x 7.5" H

 $20 \,\mathrm{cm} \,\mathrm{x} \,17 \,\mathrm{cm} \,\mathrm{D} \,\mathrm{x} \,19 \,\mathrm{cm} \,\mathrm{H}$

Weight: 5 lbs / 2.27 kg

Light Bulb: E14 BULB 2W cct: 2200K - 120V E14 BULB 2W cct: 2200K - 220V

Standard Lead time: 8 - 10 weeks

Custom finishes available upon inquiry.

Made and assembled in Canada. Item is UL & CE listed.



STANDARD FINISHES

Double Blown Glass:





Metal:





Blackened Steel

Satin Nickel





Satin Brass

Satin Copper



Satin Bronze



LIGHT BULB

E14 2W 2200K

2 WATT | 120 LUMENS | 2200K

Classic, smooth dimmable LED filament lamp. This lamp uses 2 Watts of power and achieves 120 Lumens at a CRI of 95. It has an IP54 rating.



65 mm

28 mm

Lamp:

• Shape ST28

Materials Brass cap, glass Finish Iron tinted 360' Beam angle E14 Base Weight 0.01 kg -5C to 40C Working temperature Warm up time Instant Warranty 3 years Input Voltage 220V-240V

Glare control
 We use up to 8 LED filaments in our lamps.

This, together with a thicker phosphor coating, reduces and controls glare, resulting in an even, more comfortable light.

Performance:

CRI (colour rendering index) 95 Lamp lumen output 120 Luminaire circuits per watt (LM/W) 65 Lifetime (TM-21) (hours) 30,000 Colour Temperature 2200K Power factor 0.9 Dimmable Yes Dimming type Trailing edge

Recommended EU Dimmer
 Varilight - V-pro JXP401

(X denotes faceplate color)

